

BARGHEST NX BUILD SPECS

| BUILD SPEC | |
|------------------|--|
| Frame | Heller Barghest full carbon 130mm travel full suspension |
| Color | Black |
| Fork | Manitou Machete comp 140mm |
| Rear shock | Manitou McLeod King Can (also included with frame only) |
| Front Derailleur | N/A |
| Rear Derailleur | SRAM NX 11-speed |
| Cassette | SunRace 11-42 11-speed |
| Chain | SRAM |
| Crankset | SRAM NX 30t 1x11 |
| Headset | FSA |
| Stem | Kalloy |
| Handlebar | Kalloy |
| Grips | Velo lock-on |
| Shifters | SRAM NX |
| Front Brake | Tektro M285 |
| Rear Brake | Tektro M285 |
| Brake Levers | Tektro M285 |
| Rotors | 180mm front/ 160mm rear |
| Seatpost | TranzX dropper |

| BUILD SPEC | |
|--|---|
| saddle | WTB Volt Sport |
| Front Hub | Formula |
| Rear Hub | Formula |
| Spokes | Stainless |
| Rims | sunRinglé Duroc 40 |
| Sun Ringle ¹ Duroc 40 | Maxxis Rekon+ 27.5 x 2.8" tubless ready |
| Maxxis Rekon+ 27.5 x 2.8 Tubless Ready | 32.05 lb, size medium |


| COMPONENT SIZING | X SMALL | SMALL | MEDIUM | LARGE | X LARGE |
|------------------|---------|-------|--------|-------|---------|
| Stem Length | 35mm | 35mm | 45mm | 55mm | 55mm |
| Crank Arm Length | 170mm | 170mm | 170mm | 175mm | 175mm |
| Handlebar Width | 740mm | 740mm | 740mm | 740mm | 740mm |
| Seatpost Offset | N/A | N/A | N/A | N/A | N/A |

SIZING

| BIKE SIZE | SUGGESTED RIDER HEIGHT | |
|-----------|------------------------|-----------|
| X-Small | 5'3"-5'6" | 161-168cm |
| Small | 5'6"-5'9" | 168-175cm |
| Medium | 5'9"-6'0" | 175-183cm |
| Large | 6'0"-6'3" | 183-190cm |
| X-Large | 6'3"-UP | 190cm-UP |

GEOMETRY

| SIZE | X SMALL | SMALL | MEDIUM | LARGE | X LARGE |
|----------------------|----------|----------|----------|----------|----------|
| Top Tube (Effective) | 562.1mm | 587.6mm | 616.4mm | 635.6mm | 672.6mm |
| Seat Tube Length | 355mm | 380mm | 430.0mm | 483mm | 533mm |
| Head Tube Length | 95mm | 95mm | 105mm | 115mm | 120mm |
| Seat Tube Angle | 73.9° | 73.9° | 73.9° | 73.9° | 73.9° |
| Head Tube Angle | 68.5° | 68.5° | 68.5° | 68.5° | 68.5° |
| BB Drop | 21.65mm | 21.65mm | 21.65mm | 21.65mm | 21.65mm |
| Chainstay Length | 443mm | 443mm | 443mm | 443mm | 443mm |
| Fork Length | 551mm | 551mm | 551mm | 551mm | 551mm |
| Fork Offset | 51mm | 51mm | 51mm | 51mm | 51mm |
| Wheel Base | 1114.6mm | 1140.1mm | 1169.9mm | 1190.1mm | 1227.6mm |
| Stack | 604.8mm | 604.8mm | 614.2mm | 623.5mm | 628.1mm |
| Reach | 387.5mm | 413.0mm | 439.1mm | 455.6mm | 491.3mm |
| Stand Over | 611.6mm | 635.9mm | 685.3mm | 735.3mm | 776.7mm |



Measurements listed are based on:

- An unsprung bike (no sag)
- A 27.5 x 2.8" tire measuring 725mm in diameter
- Standover measured vertically 50mm forward from BB center