

BARGHEST NX BUILD SPECS

BUILD SPEC	
Frame	Heller Barghest full carbon 130mm travel full suspension
Color	Black
Fork	Manitou Machete comp 140mm
Rear shock	Manitou McLeod King Can (also included with frame only)
Front Derailleur	N/A
Rear Derailleur	SRAM NX 11-speed
Cassette	SunRace 11-42 11-speed
Chain	SRAM
Crankset	SRAM NX 30t 1x11
Headset	FSA
Stem	Kalloy
Handlebar	Kalloy
Grips	Velo lock-on
Shifters	SRAM NX
Front Brake	Tektro M285
Rear Brake	Tektro M285
Brake Levers	Tektro M285
Rotors	180mm front/ 160mm rear
Seatpost	TranzX dropper

BUILD SPEC	
saddle	WTB Volt Sport
Front Hub	Formula
Rear Hub	Formula
Spokes	Stainless
Rims	sunRinglé Duroc 40
Sun Ringle ¹ Duroc 40	Maxxis Rekon+ 27.5 x 2.8" tubless ready
Maxxis Rekon+ 27.5 x 2.8 Tubless Ready	32.05 lb, size medium


COMPONENT SIZING	X-SMALL	SMALL	MEDIUM	LARGE	X-LARGE
Stem Length	35mm	35mm	45mm	55mm	55mm
Crank Arm Length	170mm	170mm	170mm	175mm	175mm
Handlebar Width	740mm	740mm	740mm	740mm	740mm
Seatpost Offset	N/A	N/A	N/A	N/A	N/A

SIZING

BIKE SIZE	SUGGESTED RIDER HEIGHT	
X-Small	5'3"-5'6"	161-168cm
Small	5'6"-5'9"	168-175cm
Medium	5'9"-6'0"	175-183cm
Large	6'0"-6'3"	183-190cm
X-Large	6'3"-UP	190cm-UP

GEOMETRY

SIZE	X-SMALL	SMALL	MEDIUM	LARGE	X-LARGE
Top Tube (Effective)	562.1mm	587.6mm	616.4mm	635.6mm	672.6mm
Seat Tube Length	355mm	380mm	430.0mm	483mm	533mm
Head Tube Length	95mm	95mm	105mm	115mm	120mm
Seat Tube Angle	73.9°	73.9°	73.9°	73.9°	73.9°
Head Tube Angle	68.5°	68.5°	68.5°	68.5°	68.5°
BB Drop	21.65mm	21.65mm	21.65mm	21.65mm	21.65mm
Chainstay Length	443mm	443mm	443mm	443mm	443mm
Fork Length	551mm	551mm	551mm	551mm	551mm
Fork Offset	51mm	51mm	51mm	51mm	51mm
Wheel Base	1114.6mm	1140.1mm	1169.9mm	1190.1mm	1227.6mm
Stack	604.8mm	604.8mm	614.2mm	623.5mm	628.1mm
Reach	387.5mm	413.0mm	439.1mm	455.6mm	491.3mm
Stand Over	611.6mm	635.9mm	685.3mm	735.3mm	776.7mm



Measurements listed are based on:

- An unsprung bike (no sag)
- A 27.5 x 2.8" tire measuring 725mm in diameter
- Standover measured vertically 50mm forward from BB center