

SHAGAMAW GX1 BUILD SPECS

BUILD SPEC	
Frame	Full Carbon
Color	Green
Fork	RockShox Revelation RC 130mm
Rear Shock	N/A
Front Derailleur	N/A
Rear Derailleur	SRAM GX 11-Speed
Cassette	SunRace 11-42t
Chain	SRAM 11-Speed
Crankset	Race Face Aeffect 30t
Headset	FSA
Stem	Kalloy
Handlebars	Kalloy
Grips	Velo
Shifters	SRAM NX 11-Speed
Front Brake	SRAM Level
Rear Brake	SRAM Level
Rotors	180mm front, 160mm rear
Seatpost	TranzX Dropper
Saddle	WTB Volt

BUILD SPEC	
Front Hub	Formula
Rear Hub	Formula
Rims	SUNringlé Duroc 40
Spokes	Stainless
Tires	Maxxis Rekon+ 27.5 x 2.8"
Weight	27 lb 3 oz for size Large set up tubeless


COMPONENT SIZING	SMALL	MEDIUM	LARGE	X-LARGE
Stem Length	35mm	45mm	55mm	55mm
Crank Arm Length	170mm	170mm	175mm	175mm
Handlebar Width	740mm	740mm	740mm	740mm
Seatpost Offset	N/A	N/A	N/A	N/Amm

SIZING

BIKE SIZE	SUGGESTED RIDER HEIGHT	
Small	5'6"-5'9"	168-175cm
Medium	5'9"-6'0"	175-183cm
Large	6'0"-6'3"	183-190cm
X-Large	6'3-UP	190cm-UP

GEOMETRY

SIZE	SMALL	MEDIUM	LARGE	X-LARGE
Top Tube (Effective)	585mm	616.5mm	634.8mm	659.8mm
Seat Tube Length	394mm	432mm	483mm	533mm
Head Tube Length	95mm	100mm	105mm	105mm
Seat Tube Angle	72°	72°	72°	72°
Head Tube Angle	67.6°	67.6°	67.6°	67.6°
BB Drop	55mm	55mm	55mm	55mm
Chainstay Length	440mm	440mm	440mm	440mm
Fork Length	541mm	541mm	541mm	541mm
Fork Offset	51mm	51mm	51mm	51mm
Wheel Base	1114.3mm	1146.6mm	1167.3mm	1191.2mm
Stack	618.8mm	623.5mm	627mm	628.1mm
Reach	395mm	425mm	444.8mm	470.0mm
Stand Over	721mm	753mm	790.9mm	791.9mm



Measurements listed are based on:

- An unsprung bike (no sag)
- A 27.5 x 3.0" tire measuring 744mm in diameter
- Standover measured vertically 50mm forward from BB center